

RISK ASSESSMENT FORM



Risk Assessment Method

In order to evaluate the risk level associated to a hazard, two factors need to be considered:-

- 1) the likelihood of the outcome to occur

How likely is it that the hazard will be realized and result in harm? Five categories are defined: -

1	Very Unlikely
2	Unlikely
3	Fairly Likely
4	Likely
5	Very Likely

- 2) the possible Consequence of the outcome

Realistically, what is the worst likely outcome? This method defines five categories of Consequence: -

1	Insignificant – No injury
2	Minor – minor injuries needing first aid
3	Moderate – up to three days absence
4	Major – more than seven days absence
5	Catastrophic – Fatality or permanent Disability

Once those two factors are assessed, the matrix on the next page can be used to determine the level of risk. Measure the Likelihood (L) X the Consequence (C) which will give the school a numerical score. Using the table the school can convert this score into a qualitative value for example (L) fairly likely X (C) Major = 12 = Medium Risk Level

This information will then be used to prioritise any control measures necessary to eliminate or reduce the risk to an acceptable level.

RISK ASSESSMENT FORM



Risk Assessment Method (continuing).

Matrix

Consequence					
Catastrophic	5	10	15	20	25
Major	4	8	12	16	20
Moderate	3	6	9	12	15
Minor	2	4	6	8	10
Insignificant	1	2	3	4	5
Likelihood	Very Unlikely	Unlikely	Fairly Likely	Likely	Very Likely

Action Level

20-25 VERY HIGH	Unacceptable risk - immediate action required
10-16 HIGH	Risk reduction required - high priority
4-9 MEDIUM	Medium risk - action required so far as is reasonably practicable
2-3 LOW	Low priority - further risk reduction may not be feasible or cost effective
1 Very Low	Low risk - no further action required

RISK ASSESSMENT FORM



Service: Education	Location: Rokesly Junior School	Assessment Completed by: Bola Soneye-Thomas (Headteacher)
Description of Activity/Task Assessed: Full opening of schools during Covid-19	Date of Assessment: 2 nd January 2022	Review Date: Ongoing

Introduction and Instruction

The Department for Education and Health Security Agency have issued revised guidance to schools following the further easing of Covid restrictions, to assist schools with managing new arrangements the Health and Safety Team has produced the following Risk Assessment Template for schools to adapt to their specific setting. The Risk Assessment must be reviewed by Head Teachers point by point and where actions are implemented, they must be reworded to show how the controls have been applied.

Where points are not completed but will need to be addressed, they should be placed in the Further Actions Required column with a time frame for completion. Items that are not applicable to the school's specific settings should be deleted.

Government guidance updated from the 16th of August 2021 states: From 16 August, you will not be required to self-isolate if you are a close contact of someone with COVID-19 and any of the following apply:

- you are fully vaccinated
- you are below the age of 18 years 6 months
- you have taken part in or are currently part of an approved COVID-19 vaccine trial
- you are not able to get vaccinated for medical reasons

Instead of self-isolating, those who are fully vaccinated and under 18s identified as close contacts of positive coronavirus cases are advised to get a free PCR test as soon as possible.

The self-isolation advice for people with coronavirus (COVID-19) has changed. It is now possible to end self-isolation after 5 full days if you have 2 negative LFD tests taken on consecutive days. The first LFD test should not be taken before the fifth day after your symptoms started (or the day your test was taken if you did not have symptoms). The self-isolation period remains 10 full days for those without negative results from 2 LFD tests taken a day apart.

If the lateral flow test on day 5 or day 6 are positive, the employee must continue to self-isolate.

Employees who have tested positive with Covid (no matter which variant) can now stop self-isolating on day 7, provided they do not have a high temperature (above 37.8°C), and they have tested negative on day 6 of isolation and again 24 hours later on day 7. If both these tests are negative, employees can stop self-isolating on day 7.

If the lateral flow test on day 6 or day 7 are positive, the employee must continue to self-isolate. Re-tests should be done on day 8 and day 9 - employees can stop isolation on day 9 if both tests are negative and they do not have a high temperature.

RISK ASSESSMENT FORM

Employees should register all their lateral flow results on the Government website.

Anyone leaving self-isolation should continue to work from home if possible and limit close contact with other people in crowded or poorly ventilated spaces, or at higher risk of severe illness. Where staff are required to do front line work they should follow the risk control measures that are in place for their team, including regular testing and wearing PPE.

Staff members who have been identified as having had close contact with a positive case should in addition to arranging for a PCR test, take an LFD test every day for 7 days if they continue to attend work (e.g., they are exempt from self-isolation due to being double vaccinated). If at any time the staff member becomes symptomatic, they must stay at home and arrange for a PCR test immediately (regardless of having already had a negative PCR test result).

Students (from reception age or above) or staff who lives with someone who has tested positive for COVID-19, should in addition to arranging a PCR test also take a LFD test every day for 7 days while they continue to attend school or work – testing should start from when the first person in the home tests positive as household transmission is very likely to happen. If at any time the student or staff member becomes symptomatic, they must stay at home and arrange for a PCR test immediately (regardless of having already had a negative PCR test result).

Increasing lateral flow testing – NEW LOCAL GUIDANCE FOR PRIMARY

Lateral flow device (LFD) testing is now recommended to children under the age of 12 and should be used as a preventative measure in the outbreak management response for primary schools starting from reception age (4 years old). This means, if a school reaches the threshold for activating their outbreak management plan, or there has been two or more cases within the class, all children within the class (or consistent group) should be asked to take a LFD test as soon as it is possible to do so – and repeat the LFD test 3 days later. Families should still arrange for a PCR test.

If there has only been a single case within a class, and the school have identified very close contacts to the positive case (e.g., only a small number of students have been identified such as those sitting at the same table), the school should ask the very close contacts to take an LFD test as soon as it is possible to do so – and repeat the LFD test 3 days later. PCR testing for the very close contacts would also still be advised

Primary schools should encourage families to pick up a lateral flow testing kit from a local pharmacy or library but do also have the option of ordering additional lateral flow kits to the school. Some schools may wish to order additional testing kits to hand out to those families whom they think are less likely to collect one. Children aged under five years old are not required to take a test unless the positive case is within their household.

Fully vaccinated means that you have received your final dose of an MHRA- approved COVID-19 vaccine in the UK vaccination programme at least 14 days prior to contact with a positive case.

Anyone who tests positive following the PCR test will still be legally required to self-isolate, irrespective of their vaccination status or age in order to break onward chains of transmission. Meanwhile anyone who develops COVID-19 symptoms should self-isolate and get a PCR test and remain in isolation until the result comes back.

RISK ASSESSMENT FORM



Self-isolation and shielding

All clinically extremely vulnerable (CEV) children and young people should attend their education setting unless they are one of the very small number of children and young people under paediatric or other specialist care who have been advised by their clinician or other specialist not to attend.

Further information is available in the guidance on [supporting pupils at school with medical conditions](#).

You should ensure that key contractors are aware of the school's control measures and ways of working.

No	What is the Hazard? (i.e. potential causes of injury/damage)	Who might be harmed	How might people be harmed?	Existing Risk Control Measures	Risk Rating *			Additional Controls	Residual Risk Rating			Action monitored by whom?	Action Completed by When?
					L	C	R		L	C	R		
Section 1 - Prevention													
1	Infection of Covid-19 Virus	Staff, Students, Visitors, contractors.	Ill health, possible long term health effects, possible fatality	Minimise contact with individuals who are required to self-isolate by ensuring they do not attend the school When an individual develops coronavirus (COVID-19) symptoms or has a positive test Pupils, staff, and other adults must not come into the school if: <ul style="list-style-type: none"> they have one or more coronavirus (COVID-19) symptoms they are required to quarantine having recently visited countries outside the Common Travel Area they have had a positive test They must immediately cease to attend and not attend for at least 7 days from the day after: <ul style="list-style-type: none"> the start of their symptoms 	4	5	20	Ensure that all staff know the requirements regarding self-isolation and testing through regular staff newsletters. Ensure that parents and pupils know the requirements regarding self-isolation and testing through uploading the risk assessment to the school website and reminders in newsletters. Staff encouraged to take LFD twice a week Keep Haringey Public Health informed of all positive cases at school and follow advice accordingly. Update Outbreak Management Plan for internal use at school.	2	4	8		

RISK ASSESSMENT FORM



high temperature. (above 37.8°C), and they have tested negative on day 5 of isolation and again 24 hours later on day 6. If both these tests are negative, employees can stop self-isolating on day 6.

If the lateral flow test on day 5 or day 6 are positive, the employee must continue to self-isolate. Re-tests should be done on day 7 and day 8 - employees can stop isolation on day 8 if both tests are negative and they do not have a high temperature.

Employees should register all their lateral flow results on the Government website here.

Anyone leaving self-isolation should continue to work from home if possible and limit close contact with other people in crowded or poorly ventilated spaces, or at higher risk of severe illness. Where staff are required to do front line work they should follow the risk control measures that are in place for their team, including regular testing and wearing PPE.

Employers should call the Self-Isolation Service Hub on 020

RISK ASSESSMENT FORM



3743 6715 as soon as they are made aware that any of their workers have tested positive.

Employers will need to provide the 8-digit NHS Test and Trace Account ID (sometimes referred to as a CTAS number) of the person who tested positive, alongside the names of co-workers identified as close contacts. This will ensure that all workplace contacts are registered with NHS Test and Trace and can receive the necessary public health advice, including the support available to help people to self-isolate where required.

- From 16 August, you will not be required to self-isolate if you are a close contact of someone with COVID-19 and any of the following apply:
- you are fully vaccinated (and at least two weeks have passed since your final dose)
- you are below the age of 18 years 6 months
- you have taken part in or are currently part of an approved COVID-19 vaccine trial
- you are not able to get vaccinated for medical reasons.

Instead of self-isolating, those who are fully vaccinated and



RISK ASSESSMENT FORM

				<p>under 18s identified as close contacts of positive coronavirus cases are advised to get a free PCR test as soon as possible. In addition to arranging for a PCR test, take an LFD test every day for 7 days if they continue to attend work. Those who are aged 4 or younger are not required to take a test unless the positive case is within their household. If NHS Test and Trace contact an individual who has been in contact with a person who has had a positive test result for the Omicron variant, they must self-isolate for 10 days and get a PCR test as soon as possible regardless of age or vaccination status</p>							
2	Infection of Covid-19 Virus	Staff, Students Visitors, contractors.	Ill health, possible long term health effects, possible fatality	<p>if a pupil displays coronavirus (COVID-19) symptoms, or has a positive test, while at their school</p> <p>They should avoid using public transport and wherever possible, be collected by a member of their family or household.</p> <p>If a pupil is awaiting collection:</p> <ul style="list-style-type: none"> they should be moved, if possible, to a room where they can be isolated behind a closed door, depending on the age and needs of the pupil, with 	4	4	16	<p>Communicate effectively with parents/carers to ensure that they are clear about the symptoms of COVID 19</p> <p>Communicate school expectations regarding pupils not attending school if they are displaying any symptoms:</p> <ul style="list-style-type: none"> High temperature, or Continuous cough, or Loss/change of taste/smell, or generally unwell e.g vomiting etc 	2	4	8

RISK ASSESSMENT FORM

			<p>appropriate adult supervision if required</p> <ul style="list-style-type: none"> • a window should be opened for fresh air ventilation if it is safe to do so • if it is not possible to isolate them, move them to an area which is at least 2 metres away from other people • if they need to go to the bathroom while waiting to be collected, they should use a separate bathroom if possible - the bathroom must be cleaned and disinfected using standard cleaning products before being used by anyone else • personal protective equipment (PPE) must be worn by staff caring for the pupil while they await collection if a distance of 2 metres cannot be maintained (such as for a very young child or a child with complex needs) – more information on PPE use can be found in the safe working in education, childcare and children's social care settings guidance. <p>In an emergency, call 999 if someone is seriously ill or injured or their life is at risk. Anyone with coronavirus (COVID-19) symptoms should not visit the GP, pharmacy, urgent care centre or a hospital, unless advised to.</p>						
--	--	--	---	--	--	--	--	--	--

RISK ASSESSMENT FORM

				The individual should not use public transport if they are symptomatic. If arranging their return to their family home to isolate, schools should follow advice on transport arrangements in the safe working in education, childcare and children's social care settings guidance .							
3	Infection of Covid-19 Virus	Staff, Students Visitors, contractors.	Ill health, possible long term health effects, possible fatality	<p>When an individual has had close contact with someone with coronavirus (COVID-19) symptoms</p> <p>Any member of staff who has provided close contact care to someone with symptoms, regardless of whether they are wearing PPE, and all other members of staff or pupils who have been in close contact with that person, do not need to go home to self-isolate unless:</p> <ul style="list-style-type: none"> • they develop symptoms themselves (in which case, they should self-isolate immediately and arrange to have a test) • they are requested to do so by NHS Test and Trace or the Public Health England (PHE) advice service (or PHE local health protection team if escalated) • they have tested positive from an LFD test as part of a 	4	5	20	<p>Remind staff, pupils, parents/carers of the school procedures:</p> <ul style="list-style-type: none"> • Frequent hand washing with soap and water • Catch it, Bin it, Kill it using the bins in each classroom • Keep classrooms and shared spaces e.g. library, staffroom well ventilated with windows/doors open • Use hand sanitiser • Ensure frequently used touch points are sanitised daily <p>Cleaner to carry out an additional clean of toilets during the day</p>	4	2	8

RISK ASSESSMENT FORM



			<p>community or worker programme</p> <p>Everyone must wash their hands thoroughly for 20 seconds with soap and running water or use hand sanitiser after any contact with someone who is unwell. The area around the person with symptoms must be cleaned after they have left, to reduce the risk of passing the infection on to other people. See the guidance on the cleaning of non-healthcare settings.</p> <p>If an individual is contacted by NHS Test and Trace or the school local health protection team and told to self-isolate because they have been a close contact of a positive case, they have a legal obligation to do so.</p> <p>All identified close contacts are now required to take a PCR test and inform the setting of the result. In addition to arranging for a PCR test, take an LFD test every day for 7 days if they continue to attend work</p> <p>Close contacts are defined as Direct contact: <ul style="list-style-type: none"> • Anyone who lives in the same household as a case • Anyone who has had face to face contact with a case, for any </p>				
--	--	--	---	--	--	--	--

RISK ASSESSMENT FORM

				<p>length of time, including being coughed on or talked to</p> <ul style="list-style-type: none"> • Anyone who has been within 1 metre of a case for one minute or longer <p>Proximity contact:</p> <ul style="list-style-type: none"> • Anyone who has been within two meters of a case for more than 15 minutes • Anyone who has travelled in a small vehicle with a case <p>Contacts of contacts do not need to self-isolate. This means that household members of students or staff that are self-isolating because they are contacts of a case do not need to self-isolate themselves.</p>							
4	Infection of Covid-19 Virus	Staff, Students Visitors, contractors.	Ill health, possible long term health effects, possible fatality	<p>Face coverings should be worn in communal areas in all settings by staff, visitors and pupils or students in year 7 and above, unless they are exempt. Pupils or students (in year 7 or above) should continue to wear face coverings on public and dedicated school transport, unless they are exempt. If you have an outbreak in your school, a director of public health might advise you that face coverings should temporarily be worn in communal areas or classrooms (by pupils' staff and visitors, unless exempt). You should make sure your outbreak</p>	4	5	20	<p>Parents/Carers and visitors to the school must wear face coverings at all times, unless exempt</p> <p>Staff to wear face coverings at the end of the day when taking the children outside to be collected by their parents and in communal areas.</p>	4	2	8

RISK ASSESSMENT FORM

				management plans cover this possibility.								
5	Infection of Covid-19 Virus	Staff, Students Visitors, contractors.	Ill health, possible long term health effects, possible fatality	<p>Ensure everyone is advised to clean their hands thoroughly and more often than usual</p> <p>Coronavirus (COVID-19) is an easy virus to kill when it is on skin. This can be done with soap and water or hand sanitiser. The school must ensure that pupils clean their hands regularly, including:</p> <ul style="list-style-type: none"> • when they arrive at the school • when they return from breaks • when they change rooms • before and after eating <p>Consider how often pupils and staff will need to wash their hands and incorporate time for this in timetables or lesson plans.</p> <p>Staff working with pupils who spit uncontrollably may want more opportunities to wash their hands than other staff.</p> <p>Pupils who use saliva as a sensory stimulant or who struggle with 'catch it, bin it, kill it' may also need more opportunities to wash their hands.</p>	4	5	20	<p>Remind all pupils of hand washing expectations at the start of term.</p> <p>Continue with hand washing regime that has been implemented at</p> <p>Pupils to continue to wash hands, using classroom sinks and being supervised by TAs.</p> <p>Hand sanitiser and/or skin friendly wipes are provided for all staff and for identified pupils who may find it hard to wash hands.</p>	4	2	8	

RISK ASSESSMENT FORM



				<p>Continue to help pupils with complex needs to clean their hands properly.</p> <p>Frequent and thorough hand cleaning should now be regular practice. The school should consider:</p> <ul style="list-style-type: none"> • whether the school have enough hand washing or hand sanitiser stations available so that all pupils and staff can clean their hands regularly • if the school need to supervise hand sanitiser use given the risks around ingestion – appropriate skin friendly skin cleaning wipes can be used as an alternative • building these routines into school culture, supported by behaviour expectations and helping ensure younger pupils and those with complex needs understand the need to follow them 					
--	--	--	--	--	--	--	--	--	--

*Risk Rating is calculated by multiplying the (L)Likelihood by the (C) Consequence using the matrix at the end of this document

RISK ASSESSMENT FORM



No	What is the Hazard? (i.e. potential causes of injury/damage)	Who might be harmed	How might people be harmed?	Existing Risk Control Measures	Risk Rating			Additional Controls	Residual Risk Rating			Action monitored by whom?	Action Completed by When?
					L	C	R		L	C	R		
6	Infection of Covid-19 Virus	Staff, Students Visitors, contractors.	Ill health, possible long term health effects, possible fatality	<p>Ensure good respiratory hygiene for everyone by promoting the 'catch it, bin it, kill it' approach</p> <p>The 'catch it, bin it, kill it' approach continues to be very important. Ensure enough tissues and bins are available to support pupils and staff to follow this routine. As with hand cleaning, ensure the younger pupils and those with complex needs are helped to get this right, and all pupils understand that this is now part of how the setting operates. The e-Bug coronavirus (COVID-19) website contains free resources for schools, including materials to encourage good hand and respiratory hygiene. Some pupils with complex needs will struggle to maintain as good respiratory hygiene as their peers, for example those who spit uncontrollably or use saliva as a sensory stimulant. This should be considered in risk assessments in order to support these pupils and the staff working with them and is not a reason to deny these pupils face-to-face education.</p>	4	5	20	Remind pupils regularly about Catch It, Bin It, Kill It and hand washing routines	4	2	8		

RISK ASSESSMENT FORM

7	Infection of Covid-19 Virus	Staff, Students Visitors, contractors.	Ill health, possible long term health effects, possible fatality	<p>Maintain enhanced cleaning, including cleaning frequently touched surfaces often, using standard products, such as detergents</p> <p>In line with the risk assessment and timetabling of the day, put in place and maintain an enhanced cleaning schedule. This should include:</p> <ul style="list-style-type: none"> • more frequent cleaning of rooms or shared areas that are used by different groups • frequently touched surfaces being cleaned more often than normal • cleaning toilets regularly • encouraging pupils to wash their hands thoroughly after using the toilet • if the school site allows it, allocating different groups their own toilet blocks <p>PHE has published guidance on the cleaning of non-healthcare settings. This contains advice on the general cleaning required in addition to the existing advice on cleaning when there is a suspected case.</p>	4	5	20	Cleaner to carry out an additional clean of toilets during the day	4		8	
8	Infection of Covid-19 Virus	Staff, Students Visitors, contractors.	Ill health, possible long term health effects, possible fatality	<p>Keep occupied spaces well ventilated</p> <p>Good ventilation reduces the concentration of the virus in the air, which reduces the risk from airborne transmission. This happens when people breathe in small particles</p>	4	5	20	<p>CO2 monitors used to check quality of ventilation in classrooms</p> <p>Doors, windows opened to allow for good air flow</p>	1	2	2	

RISK ASSESSMENT FORM



- natural ventilation – if necessary external opening doors may also be used (as long as they are not fire doors and where safe to do so)

To balance the need for increased ventilation while maintaining a comfortable temperature, consider:

- opening high level windows in colder weather in preference to low level to reduce draughts
- increasing the ventilation while spaces are unoccupied (for example, between classes, during break and lunch, when a room is unused)
- rearranging furniture where possible to avoid direct draughts

Heating should be used as necessary to ensure comfort levels are maintained particularly in occupied spaces. The Health and Safety Executive have provided guidance for assessing the adequacy of ventilation in your work environment [Link](#)

If schools have concerns regarding ventilation systems or specific areas in their buildings, they can contact the Corporate Landlord. The Corporate Landlord employs M&E



RISK ASSESSMENT FORM

				specialists who will be able to give them advice and support regarding ventilation.								
Section 2 - System of controls - response to any infection												
9	Infection of Covid-19 Virus	Staff, Students Visitors, contractors.	Ill health, possible long term health effects, possible fatality	<p>Promote and engage with the NHS Test and Trace process</p> <p>Staff members, parents and carers will need to:</p> <ul style="list-style-type: none"> • book a test if they or their child has symptoms - the main symptoms are: <ul style="list-style-type: none"> • a high temperature • a new continuous cough • a loss or change to your sense of smell or taste • self-isolate immediately and not come to school if: <ul style="list-style-type: none"> • they develop symptoms • they are required to do so having recently travelled from certain other countries • they have been advised to isolate by NHS test and trace or the PHE local health protection team, which is a legal obligation • provide details of anyone they have been in close contact with, if they test positive for coronavirus (COVID-19) or if asked by NHS Test and Trace 	4	5	20		4	2	8	
10	Infection of Covid-19 Virus	Staff, Students Visitors, contractors.	Ill health, possible long term health effects,	<p>Manage confirmed cases of coronavirus (COVID-19) amongst the school community</p>	4	5	20	All staff are encouraged to take LFT twice weekly	4	2	8	If staff are close contacts from pupils they are advised to take a

RISK ASSESSMENT FORM



			<p>possible fatality</p>	<p>The school must take swift action when the school becomes aware that someone who has attended has tested positive for coronavirus (COVID-19) having developed symptoms and taken a PCR test outside of school.</p> <p>If any of your staff test positive Employers should call the Self-Isolation Service Hub on 020 3743 6715 as soon as they are made aware that any of their workers have tested positive.</p> <p>Employers will need to provide the 8-digit NHS Test and Trace Account ID (sometimes referred to as a CTAS number) of the person who tested positive, alongside the names of co-workers identified as close contacts. This will ensure that all workplace contacts are registered with NHS Test and Trace and can receive the necessary public health advice, including the support available to help people to self-isolate where required.</p> <p>The school can access support on the action it should take to respond to a positive case, by contacting the dedicated advice service introduced by Public Health England (PHE)</p>			<p>PCR ASAP, and do LFTs each day for 7 days (if they are fully vaccinated) They can continue to attend work</p> <p>Unvaccinated members of staff must isolate for 10 days if they are identified as a close contact</p>				
--	--	--	--------------------------	--	--	--	--	--	--	--	--

RISK ASSESSMENT FORM



and delivered by the NHS Business Services Authority. This can be reached by calling the DfE Helpline on 0800 046 8687 and selecting option 1 for advice. Alternatively the school can contact Haringey Public Health publichealth@haringey.gov.uk

The advice service (or PHE local health protection team if escalated) will work with the school to guide them through the actions needed to be taken. Based on their advice, the school must send home those people who have been in close contact with the person who has tested positive, advising them to self-isolate immediately and for the next 10 full days counting from the day after contact with the individual who tested positive.

All identified close contacts are now required to take a PCR test and inform the setting of the result.
Close contacts are defined as
Direct contact:

- Anyone who lives in the same household as a case
- Anyone who has had face to face contact with a case, for any length of time, including being coughed on or talked to



RISK ASSESSMENT FORM



			<ul style="list-style-type: none"> • Anyone who has been within 1 metre of a case for one minute or longer <p>Proximity contact:</p> <ul style="list-style-type: none"> • Anyone who has been within two meters of a case for more than 15 minutes • Anyone who has travelled in a small vehicle with a case <p>Contacts of contacts do not need to self-isolate. This means that household members of students or staff that are self-isolating because they are contacts of a case do not need to self-isolate themselves.</p> <p>The advice service (or PHE local health protection team if escalated) will provide advice on who must be sent home. To support them in doing so, it is recommended the school keep a record of pupils and staff in each group, and any close contact that takes places between pupils and staff in different groups. This should be a proportionate recording process. The school do not need to ask pupils to record everyone they have spent time with each day or ask staff to keep definitive records in a way that is overly burdensome.</p>					
--	--	--	---	--	--	--	--	--

RISK ASSESSMENT FORM



Where individuals are self-isolating and are within the definition of vulnerable, it is important that schools put systems in place to keep in contact with them, offer pastoral support, and check they are able to access education support.

A template letter will be provided to the school, on the advice of the health protection team, to send to parents and staff if needed. The school must not share the names or details of people with coronavirus (COVID-19) unless essential to protect others.

From 16 August, you will not be required to self-isolate if you are a close contact of someone with COVID-19 and any of the following apply:

- you are fully vaccinated
- you are below the age of 18 years 6 months
- you have taken part in or are currently part of an approved COVID-19 vaccine trial
- you are not able to get vaccinated for medical reasons

If NHS Test and Trace contact an individual who has been in contact with a person who has had a positive test result for the Omicron variant, they must self-isolate for 10 days and get a



RISK ASSESSMENT FORM



				PCR test as soon as possible regardless of age or vaccination status								
11	Infection of Covid-19 Virus	Staff, Students Visitors, contractors.	Ill health, possible long term health effects, possible fatality	<p>Contain any outbreak by following PHE local health protection team advice</p> <p>If the school have 2 or more confirmed cases within 14 days, or an overall rise in sickness absence where coronavirus (COVID-19) is suspected, the school may have an outbreak.</p> <p>The school should call the dedicated advice service who will escalate the issue to the school local health protection team where necessary and advise if any additional action is required. The school can reach them by calling the DfE Helpline on 0800 046 8687 and selecting option 1 for advice on the action to take in response to a positive case.</p> <p>In some cases, health protection teams may recommend that a larger number of other pupils self-isolate at home as a precautionary measure. This could be the class or year group.</p> <p>DfE guidance presents thresholds that should trigger the setting to undertake an</p>	4	5	20	<p>The school will liaise with Haringey Public Health regarding the number of positive cases at school and will follow all PH advice given.</p> <p>The Outbreak Management Plan will be activated as necessary, if numbers of positive cases meet thresholds Parents/carers/staff will be advised accordingly and will be asked to take PCR/LFTs as required</p> <p>Bubbles will be reintroduced as needed</p>	4	2	8	

RISK ASSESSMENT FORM



additional assessment and seek advice as necessary.
 Thresholds are described as:

- 5 cases or 10% (whichever is reached first) test-confirmed cases of COVID19 (either PCR testing or LFD Ag testing with follow-up PCR) within 10 days, among students or staff clustered in a **consistent group or cohort**. Dates should be calculated based on illness onset, or test date if asymptomatic
- Or
- Evidence of severe illness e.g. students or staff members admitted to hospital or a death as a result of a COVID-19 infection (PCR or LFD Ag with follow up PCR) as the setting may require advice on risk assessment and communication.

If risk assessment by a public health professional indicates transmission is occurring in the setting further control measures may be advised, including the following:

- Reintroduction of face coverings.
- Additional asymptomatic LFD testing, including reinstating onsite testing.
- Advice to anyone (staff or pupil) who is known be at



RISK ASSESSMENT FORM



				<p>increased risk of severe infection.</p> <ul style="list-style-type: none"> • Other proportionate measures as necessary, seeking to maintain face to face education if is safe to do so. For example, reducing crowding through temporarily suspending assemblies or other events that bring larger groups together. <p>If the school are implementing the system of controls, addressing any issues the school have identified and therefore reducing transmission risks, whole site closure will not generally, be necessary. The school should not close except on the advice of health protection teams.</p>					
--	--	--	--	---	--	--	--	--	--